

Deficiency or inhibition of oxygen sensor Phd1 induces hypoxia tolerance by reprogramming basal metabolism

nature
genetics

Julián Aragonés^{1,2,20}, Martin Schneider^{1,2,19,20}, Katie Van Geyte^{1,2,20}, Peter Fraisl^{1,2,20}, Tom Dresselaers³, Massimiliano Mazzone^{1,2}, Ruud Dirckx⁴, Serena Zacchigna^{1,2}, Hélène Lemieux⁵, Nam Ho Jeoung⁶, Diether Lambrechts^{1,2}, Tammie Bishop⁷, Peggy Lafuste^{1,2}, Antonio Diez-Juan^{1,2}, Sarah K Harten⁸, Pieter Van Noten⁹, Katrien De Bock⁹, Carsten Willam^{7,19}, Marc Tjwa^{1,2}, Alexandra Grosfeld⁷, Rachel Navet¹⁰, Lieve Moons^{1,2}, Thierry Vandendriessche^{1,2}, Christophe Deroose¹¹, Bhathiya Wijeyekoon⁷, Johan Nuyts¹¹, Benedicte Jordan¹², Robert Silasi-Mansat¹³, Florea Lupu¹³, Mieke Dewerchin^{1,2}, Chris Pugh⁷, Phil Salmon¹⁴, Luc Mortelmans¹¹, Bernard Gallez¹², Frans Gorus¹⁵, Johan Buyse¹⁶, Francis Sluse¹⁰, Robert A Harris⁶, Erich Gnaiger⁵, Peter Hespel⁹, Paul Van Hecke³, Frans Schuit¹⁷, Paul Van Veldhoven¹⁸, Peter Ratcliffe⁷, Myriam Baes⁴, Patrick Maxwell⁸ & Peter Carmeliet^{1,2}




Figure 1. PhD1 acts as an oxygen sensor and the switch between aerobic and anaerobic metabolism determining hypoxia tolerance in mouse skeletal muscle

Reference: Aragonés J, Schneider M, Van Geyte K, Fraisl P, Dresselaers T, Mazzone M, Dirckx R, Zacchigna S, Lemieux H, Jeoung NH, Lambrechts D, Bishop T, Lafuste P, Diez-Juan A, K Harten S, Van Noten P, De Bock K, Willam C, Tjwa M, Grosfeld A, Navet R, Moons L, Vandendriessche T, Deroose C, Wijeyekoon B, Nuyts J, Jordan B, Silasi-Mansat R, Lupu F, Dewerchin M, Pugh C, Salmon P, Mortelmans L, Gallez B, Gorus F, Buyse J, Sluse F, Harris RA, Gnaiger E, Hespel P, Van Hecke P, Schuit F, Van Veldhoven P, Ratcliffe P, Baes M, Maxwell P, Carmeliet P (2008) Deficiency or inhibition of oxygen sensor Phd1 induces hypoxia tolerance by reprogramming basal metabolism. Nat Genet 40:170-80.

Figures and texts slightly modified based on the recommendations of the COST Action MitoEAGLE CA15203. [Doi:10.26124/mitofit:190001.v3](https://doi.org/10.26124/mitofit:190001.v3)