


2016-11-19



<b>O2k and DatLab file: P___ ( A / B )</b>		2016-		Operator:				
Sample type:		Cohort:		Sample code:				
Sample.Subsample number:		Unit:		Concentration:				
Medium:								
<b>Event</b>	<b>Mark name</b>	<b>State</b>	<b>Final conc. 2 ml O2k</b>	<b>Stock [mM]</b>	<b>Comment</b>	<b>Tit. [µl]</b>	<b>A</b>	<b>B</b>
<b>MiR</b>								
<b>O2</b>			~200 µM					
<b>AmR</b>			10 µM	10		2		
<b>HRP</b>			1 U/ml		500 U/ml stock	4		
<b>SOD</b>	<b>Before</b>		5 U/ml		5000 U/ml stock	2		
	<b>1HP0</b>		0		Mark on Amp signal			
<b>H<sub>2</sub>O<sub>2</sub></b>	<b>1HP.1</b>		0.1 µM	0.04	Mark on Amp signal	5		
<b>H<sub>2</sub>O<sub>2</sub></b>	<b>1HP.2</b>		0.2 µM	0.04	Mark on Amp signal	5		
<b>ce</b>	<b>R</b>	<i>R</i>				20		
	<b>2HP0</b>		0		Mark on Amp signal			
<b>H<sub>2</sub>O<sub>2</sub></b>	<b>2HP.1</b>		0.1 µM	0.04	Mark on Amp signal	5		
<b>P</b>			5 mM	2000		5		
<b>M</b>			2 mM	400		10		
<b>Dig</b>	<b>1PM</b>	<i>PM<sub>L</sub></i>		8.1				
<b>D</b>	<b>2D</b>	<i>PM<sub>P</sub></i>	2.5 mM	500		10		
<b>U</b>	<b>3U</b>	<i>PM<sub>E</sub></i>	Δ0.5 µM	1	CCCP	Δ1		
<b>G</b>	<b>4G</b>	<i>PGM<sub>E</sub></i>	10 mM	2000		10		
	<b>3HP0</b>		0		Mark on Amp signal			
<b>H<sub>2</sub>O<sub>2</sub></b>	<b>3HP.1</b>		0.1 µM	0.04	Mark on Amp signal	5		
<b>S</b>	<b>5S</b>	<i>PGMS<sub>E</sub></i>	50 mM	1000		100		
<b>Oct</b>	<b>6Oct</b>	<i>PGMSOct<sub>E</sub></i>	0.5 mM	100		10		
<b>Rot</b>	<b>7Rot</b>	<i>S<sub>E</sub></i>	0.5 µM	1		1		
	<b>4HP0</b>		0		Mark on Amp signal			
<b>H<sub>2</sub>O<sub>2</sub></b>	<b>4HP.1</b>		0.1 µM	0.04	Mark on Amp signal	5		
<b>Gp</b>	<b>8Gp</b>	<i>SGp<sub>E</sub></i>	10 mM	1000		20		
<b>Ama</b>	<b>9Ama</b>	ROX	2.5 µM	5		1		
	<b>5HP0</b>		0		Mark on Amp signal			
<b>H<sub>2</sub>O<sub>2</sub></b>	<b>5HP.1</b>		0.1 µM	0.04	Mark on Amp signal	5		